



Quality Management System is certified for compliance with the requirements of ISO 9001

Environmental Management System is certified for compliance with the requirements of ISO 14001

The Occupational Safety and Health Protection Management System is certified in accordance with the requirements of OHSAS 18001

### Carbon-Export LLC

10A, 1, Krasnoy Armii ul., Ivanovo Russian Federation, 153000

Phone: +7(930)363-01-51

E-mail: [Jamil@carbon-black.ru](mailto:Jamil@carbon-black.ru)

## Technical Data Sheet N550

	<i>Parameter</i>	<i>ASTM Test ASTM</i>	<i>Norm</i>	<i>Result</i>
1.	NSA Nitrogen Surface Area, $10^3 \text{ m}^2/\text{kg}$	D 6556	40±5	37
2.	STSA, $10^3 \text{ m}^2/\text{kg}$	D 6556	39±5	36
3.	Адсорбция йода, г/кг/Iodine adsorption number, g/kg	D 1510	43±5	43
4.	DBP absorption number (OAN) , $10^{-5} \text{ m}^3/\text{kg}$	D 2414	121±5	122
5.	DBP absorption number of compression sample/ (COAN) , $10^{-5} \text{ m}^3/\text{kg}$	D 3493	85±5	85
6.	pH value	D 1512	6-8	7,8
7.	Heating loss at 125°C, %, max	D 1509	1,2	0,29
8.	ASH content, %, max	D 1506	0,45	0,26
9.	Sulfur content, %, max	D 1619	1,1	0,3
10.	Sieve residue, %, max 45mkm/500mkm	D 1514	0,10 0,0010	0,027 0,0004
11.	Transmittance of toluene extract, %, min	D 1618	85	95
12.	Individual pellet hardness min of 20 save rage of 20, cN, max of 20, cN	D 5230	7 25-70 100	28 46 63

**Sample taken in accordance with the requirements of ASTM 1799-03a.**

**Packaging and logistics:** according to contract.